


Jandel Engineering Limited



Cartridge with lead Probe Head

Jandel Engineering Limited manufactures the Cartridge with lead probe for use on customer's own equipment, some Veeco equipment, or where an A&M Fell style probe has previously been used.

Some Veeco equipment requires a differently shaped probe (Compact Probe). Please let us know if you are unsure which probe you require.

All Jandel probes are built to a high level of mechanical accuracy. Specifications for radii, spacing and planarity are verified by video inspection system and optical interferometer. Loads are verified by electronic force gauge. Each probe has upper and lower jeweled needle guides.

<i>Probe spacing</i>	0.500mm, 0.635mm, 1.00mm, 1.27mm, 1.591mm (needle to needle)
<i>Tolerance</i>	+/- 10 microns
<i>Arrangement</i>	Linear or square array
<i>Needles</i>	Tungsten carbide 0.4mm diameter
<i>Needle option</i>	50% Osmium alloy tips are available
<i>Radii</i>	12.5, 25, 40, 100, 150, 200, 300, 500 microns
<i>Retraction to pad</i>	0.5mm
<i>Planarity</i>	+/- 0.025mm or better
<i>Loads</i>	Fixed load between 10g-250g
<i>Electrical leakage</i>	10 ¹³ ohms resistance between needles at 500 volts

If you require any further information on the Jandel Compact probe please do not hesitate to contact us using the details below

Jandel Engineering Limited, Grand Union House, Leighton Road, Leighton Buzzard, LU7 1LA

Telephone: +44 (0) 1525 378554 Fax: +44 (0) 1525 381945 Email: info@jandel.co.uk